

TRANSMITTAL LETTER TO THE UNITED STATES DESIGNATED/ELECTED OFFICE (DO/EO/US) CONCERNING A FILING UNDER 35 U.S.C. 371		ATTORNEY'S DOCKET NUMBER 18920-0016
		U.S. APPLICATION NO. (If known, see 37 CFR 1.5) 09/719514
INTERNATIONAL APPLICATION NO. PCT/JP00/02642	INTERNATIONAL FILING DATE 21 April 2000	PRIORITY DATE CLAIMED 21 April 1999
TITLE OF INVENTION VOICE RECOGNITION DEVICE FOR TOYS		
APPLICANT(S) FOR DO/EO/US Takashi ICHIKAWA		
Applicant herewith submits to the United States Designated/Elected Office (DO/EO/US) the following items and other information:		
1. <input checked="" type="checkbox"/> This is a FIRST submission of items concerning a filing under 35 U.S.C. 371 2. <input type="checkbox"/> This is a SECOND or SUBSEQUENT submission of items concerning a filing under 35 U.S.C. § 371. 3. <input checked="" type="checkbox"/> This express request to begin national examination procedures (35 U.S.C. 371(f)) at any time rather than delay examination until the expiration of the applicable time limit set in 35 U.S.C. 371(b) and PCT Articles 22 and 39(1). 4. <input type="checkbox"/> A proper Demand for International Preliminary Examination was made by the 19th month from the earliest claimed priority date. 5. <input type="checkbox"/> A copy of the International Application as filed (35 U.S.C. 371(c)(2)) a. <input type="checkbox"/> is transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> has been transmitted by the International Bureau. c. <input type="checkbox"/> is not required, as the application was filed in the United States Receiving Office (RO/US). 6. <input checked="" type="checkbox"/> A translation of the International Application into English (35 U.S.C. 371(c)(2)). 7. <input type="checkbox"/> Amendments to the claims of the International Application under PCT Article 19 (35 U.S.C. 371(c)(3)) a. <input type="checkbox"/> are transmitted herewith (required only if not transmitted by the International Bureau). b. <input type="checkbox"/> have been transmitted by the International Bureau. c. <input type="checkbox"/> have not been made; however, the time limit for making such amendments has NOT expired. d. <input type="checkbox"/> have not been made and will not be made. 8. <input type="checkbox"/> A translation of the amendments to the claims under PCT Article 19 (35 U.S.C. 371(c)(3)). 9. <input checked="" type="checkbox"/> An oath or declaration of the inventor(s) (35 U.S.C. 371(c)(4)). 10. <input type="checkbox"/> A translation of the Annexes to the International Preliminary Examination Report under PCT Article 36 (35 U.S.C. 371(c)(5)). Items 11. to 16. below concern other document(s) or information included: 11. <input type="checkbox"/> An Information Disclosure Statement under 37 CFR 1.97 and 1.98. 12. <input checked="" type="checkbox"/> An assignment document for recording. A separate cover sheet in compliance with 37 CFR 3.28 and 3.31 is included. 13. <input type="checkbox"/> A FIRST preliminary amendment. <input type="checkbox"/> A SECOND or SUBSEQUENT preliminary amendment. 14. <input type="checkbox"/> A substitute specification. 15. <input type="checkbox"/> A change of power of attorney and/or address letter 16. <input type="checkbox"/> Other items or information:		


U.S. APPLICATION NO. (If known, see 37 CFR 1.5)
09/719514

INTERNATIONAL APPLICATION NO.
PCT/IP00/02642

ATTORNEY'S DOCKET NUMBER
18920.0016

☒ The following fees are submitted:

Basic National Fee (37 CFR 1.492(a)(1)-(5)):
Search Report has been prepared by the EPO or JPO.....\$860.00
International preliminary examination fee paid to USPTO (37 CFR 1.482)\$690.00
No international preliminary examination fee paid to USPTO (37 CFR 1.482) but international search fee paid to USPTO (37 CFR 1.445(a)(2)).....\$760.00
Neither international preliminary examination fee (37 CFR 1.482) nor international search fee (37 CFR 1.445(a)(2)) paid to USPTO.....\$1,000.00
International preliminary examination fee paid to USPTO (37 CFR 1.482) and all claims satisfied provisions of PCT Article 33(2)-(4).....\$100.00

CALCULATIONS	PTO USE ONLY
	


ENTER APPROPRIATE BASIC FEE AMOUNT =				\$1,000.00	
Surcharge of \$130.00 for furnishing the oath or declaration later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
Claims	Number Filed	Number	Rate		
Total Claims	6- 20 =	0	X \$18.00	\$	
Independent Claims	3- 3 =	0	X \$80.00	\$	
Multiple dependent claim(s)(if applicable)			+ \$270.00	\$270.00	
TOTAL OF ABOVE CALCULATIONS =				\$1,270.00	
Reduction by 1/2 for filing by small entity, if applicable.				\$	
SUBTOTAL =				\$1,270.00	
Processing fee of \$130.00 for furnishing the English translation later than <input type="checkbox"/> 20 <input type="checkbox"/> 30 months from the earliest claimed priority date (37 CFR 1.492(e)).				\$	
TOTAL NATIONAL FEE =				\$1,270.00	
Fee for recording the enclosed assignment (37 CFR 1.21(h)). The assignment must be accompanied by an appropriate cover sheet (37 CFR 3.28, 3.31). \$40.00 per property +				\$40.00	
TOTAL FEES ENCLOSED =				\$1,310.00	
				Amount to be: refunded \$	
				charged	\$1,310.00

- a. ☐ A check in the amount of \$___ to cover the above fees is enclosed.
- b. ☒ Please charge my Deposit Account No. **19-5127 ORDER NO. 18920.0016** in the amount of \$1,310.00 to cover the above fees. A duplicate copy of this sheet is enclosed.
- c. ☒ The Director is hereby authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. **19-5127**. A duplicate copy of this sheet is enclosed.

NOTE: Where an appropriate time limit under 37 CFR 1.494 or 1.495 has not been met, a petition to revive (37 CFR 1.137(a) or (b) must be filed and granted to restore the application to pending status

SEND ALL CORRESPONDENCE TO:

Swidler Berlin Shereff Friedman, LLP
3000 K Street, N.W., Suite 300
Washington, DC 20007-5116


SIGNATURE
Edward A. Pennington, Registration No. 32,500

5/18/15

09/719514
526 Rec'd PCT/PTO 13 DEC 2000

SEPCIFICATION

VOICE RECOGNITION DEVICE FOR TOYS

BACKGROUND OF THE INVENTION

Field of the Invention

The present invention relates to a voice recognition device for toys for recognizing voices of a number of unspecified people.

Description of Related Art

In conventional voice recognition devices for toys, a voice recognition device for toys for recognizing a specific person is designed to recognize words spoken by only one person, and the voice of the speaker has to be registered in a RAM or a ROM before he or she actually uses the toy. Although the recognition rate of the ROM is not bad, there exist the following problems; no other people than the registered person can use the toy, the registration of a use is required, and the registered voice is lost once the power is down. The voice recognition device is not suitable for use in toys in particular for very young children. Among the problems it is a critical problem that the voice recognition device allows only one person to use it, and therefore, the device limits the application thereof.

On the other hand, a voice recognition device for recognizing voices of unspecified people is designed to recognize the voice of any person, and no registration is required before the device is actually used. However, it is required to input voices of a number of people in a ROM in advance, and the initial production of voice data requires difficult work. In addition, as the number of words or speeches to be recognized increases, the work gets more complicated and the capacity of the memory for storing the increasing data has to be extended, high production costs thereby resulting. Japanese Examined Patent Publication No. 2-39798 discloses a related conventional example. In this conventional example, the length of an inputted voiced word is measured, and when the measured length is determined to coincide with the length of the word determined by a voice registration switch, a voice is outputted. However, in a case where the length of a word is measured, there occur continuous malfunctions in a noisy place, and it is found that the device is not totally suitable for practical use.

In addition, although the device is designed to recognize words or speeches of unspecified people, it only can recognize in the order of ten to twenty words or speeches, and the device cannot recognize every word people speak. Due to this, the user has to consult with

an owner's manual every time he or she wants to know what type of voice can be recognized, and in this sense the voice recognition device which has to originally be convenient is not convenient.

An object of the present invention is to provide a voice recognition device for recognizing voices of a number of unspecified people using a microcomputer or a voice synthesis IC, wherein the length of a pause or pauses of two or more words is measured, whereby the voices are recognized.

Another object of the present invention is to provide a voice recognition device for recognizing voices of a number of unspecified people, wherein the length in time of a word spoken by a speaker for recognition is measured, whereby the voice is recognized.

A further object of the present invention is to provide a voice recognition device for recognizing voices of a number of unspecified people, wherein the length in time of a word spoken by a speaker is compared with the length in time of a corresponding voice synthesized word, and in the event that the result of the comparison falls within a predetermined tolerance, the word spoken by the speaker is recognized, whereby the recognition of the word is effected.

SUMMARY OF THE INVENTION

According to a first aspect of the present invention, there is provided a voice recognition device for toys comprising a storage means for measuring the length in time of a combination of two or more continuous words or expressions and the length in time of a pause or pauses between the words or expressions and then storing a measured value in advance, a control means for measuring the length in time of a word or expression spoken by a speaker, comparing a measured value with the measured value stored in the storage means, and recognizing the word or expression of the speaker in the event that the result of the comparison falls within a predetermined tolerance and an output means for outputting the result of the recognition so carried out.

According to the configuration, in addition to the recognition of the meaning of one word or expression, the meaning of a set of two or more words or expressions which are continuously spoken can be recognized from a combination of the two or more words or expressions and a pause or pauses between the words or phrases when they are so spoken. For example, in recognition of a combination of two expressions, when having recognized a combination of "konnichiwa (hello)" and "ii tenki desu (it is a good weather)," the first expression and the

second expression are recognized together with a pause therebetween which should be provided when they are spoken, whereby the meaning of the combination of the two expressions, "konnichiwa, ii tenki desu (Hello, it is a good weather)" can be recognized. When people express, some people speak fast and others slowly, and therefore, one expression is made to be recognized in two ways, short and long. When first and second expressions are made to be recognized in two ways; short and long, respectively, the recognition of the two expressions can be made in four ways. Then, when a pause is provided between the first and second expressions, the pause is also made to be recognized in two ways; short and long, and as a result of this, the combination of the expressions can be recognized in eight ways, whereby a voice recognition device for toys with higher accuracy can be provided.

Thus, in the event that the length of either or any of two or more words or expressions differs from those stored in the storage means or the length of the pause between any two of the two or more words or expressions differs from that stored in the storage means, since the control means does not recognize the combination, there occurs no malfunction or mal-recognition.

In addition, according to a second aspect of the

present invention, there is provided a voice recognition device for toys comprising a storage means for measuring the length in time of a word or expression spoken by a speaker for recognition and then storing a measured value in advance, a control means for measuring the length in time of a word or expression spoken by a speaker, comparing a measured value with the measured value stored in the storage means and recognizing the word or expression of the speaker in the event that the result of the comparison falls within a predetermined tolerance and an output means for outputting in voice the result of the recognition so carried out.

According to the configuration, since the voice recognition device is designed for use in toys for children, when a child as a player speaks to the voice recognition device, the device measures the length in time of the word or expression of the speaker, recognizes the word or expression of the speaker in the event that the result of the comparison falls within a predetermined tolerance, and outputs in voice the result of the recognition via a device main body. For instance, in the case of a toy which is a model of a cat, when the player calls the name of the cat toy, "Tama", it answers the player by meowing. Thus, according to the present invention, an interactive voice recognition toy like one

described above can be provided.

Furthermore, according to a third aspect of the invention, there is provided a voice recognition device for toys comprising a storage means for storing the length in time of a voice synthesized word or expression in advance, an output means for outputting the voice synthesized word or expression and a control means for measuring the length in time of a word or expression spoken by a speaker, comparing a measured value with the length in time of the voice synthesized word or expression stored in the storage means, recognizing the word or expression of the speaker in the event that the result of the comparison falls within a predetermined tolerance and an outputting means for outputting the result of the recognition.

According to the configuration, the conversation with a machine (IC) can be realized by making an IC execute both voice synthesis and voice recognition, and moreover, the conversation with the machine can be realized at extremely low cost. For example, in a case where an expression, "ohayo (good morning)" is voice synthesized, if the length of an expression spoken by a speaker for recognition falls within a predetermined tolerance of the voice synthesized expression, "ohayo (good morning)", the spoken expression can be recognized. The voice

synthesized expression "ohayo (good morning)" is provided with a predetermined tolerance in length; short and long, and therefore even if the expression is spoken fast or slowly, the length of the spoken expression falls within the predetermined tolerance, the expression can be recognized.

Furthermore, according to a fourth aspect of the present invention, there is provided a voice recognition device for toys as set forth in the third aspect above, comprising a control means for measuring the length in time of a word or expression spoken by a speaker which corresponds to the outputted voice synthesized word or expression, comparing a measured value with the length in time of the voice synthesized word or expression which is stored in the storage means and recognizing the spoken word or expression of the speaker in the event that the result of the comparison falls within a predetermined tolerance, and an outputting means for outputting the recognized result.

According to the configuration, the voice recognition device measures the length in time of the word or expression spoken by the speaker which corresponds to the outputted voice synthesized word or expression and recognizes the word or expression by the speaker provided that the measured value falls within

the predetermined tolerance. Namely, the player can enjoy a quiz by imaging a word or expression in association with the outputted voice synthesized word or expression. For example, here is a voice synthesized question, "what is the highest mountain in Japan?" and if the player or speaker answers "Mt. Fuji," the answer is correct and is then recognized.

In addition, according to a fifth aspect of the present invention, there is provided a voice recognition device for toys as set forth in the third or fourth aspect of the present invention, wherein the storage means stores the length in time of a combination of the length in time of the voice synthesized words or expressions and the length in time of a pause between the words or expressions in advance, wherein the control means measures the length in time of the pause between the words or expressions and the length in time of words or expressions spoken by the speaker, compares measured values with the length in time of the combination of the length in time of the pause stored in the storage means and the length in time of the words or expressions spoken by the speaker for recognition and recognizes the words or expressions by the speaker provided that the result of the comparison falls within the predetermined tolerance.

According to the configuration, since the length in time of the combination of the length of a blank time since the voice synthesized words or expressions have been outputted until the words or expressions spoken by the speaker for recognition are expressed and the length in time of the words or expressions by the speaker, a voice recognition with less errors can be attained.

BRIEF DESCRIPTION OF THE DRAWINGS

Fig. 1 is a diagram showing a principle according to the present invention for measuring the length in time of a word or expression,

Fig. 2 is a diagram showing another principle according to the present invention for measuring the length in time of a word or expression,

Fig. 3 is a diagram showing a further principle according to the present invention for measuring the length in time of a word or expression,

Fig. 4 is a diagram showing the configuration of hardware for use in the present invention, and

Fig. 5 is a diagram showing another configuration of hardware for use in the present invention.

BEST MODE FOR CARRYING OUT THE INVENTION

With a view to describing the present invention in

greater detail, a best mode for carrying out the invention will be described below with reference to the accompanying drawings.

Fig. 1 is a diagram showing a principle according to the present invention for measuring the length in time of a word or expression. Reference character A denotes the length of a word or expression, and for example, an expression, "konnichiwa (hello)" and an expression "konbanwa (good evening)" are an expression of five Japanese Hiragana characters or five syllables and the length or the number of characters or syllables of the two expressions is the same. Reference numeral C also denotes the length of an expression such as "ii tenki desu (it is a good weather)" or "okaimono desu (I'm doing the shopping)" of seven Japanese Hiragana characters or syllables and therefore the length of the two expressions is identical. Reference character B is the length of a pause between the expression A and the expression C and denotes the length of ". . ." interposed between the expression "Hello" and "It's a good weather" when the speaker expresses, "Hello. . . . It's a good weather."

Thus, the two expressions are expressed continuously, and the meaning thereof is recognized by the combination of the expressions and the pause therebetween. Consequently, the recognition is

effected in the event that the length of a combination of the expression A, the length of the pause B and the expression C falls within the tolerance of the length of a set expression. Additionally, the recognition is effected even if a combination of the expression A and the expression C or a combination of the pause B and the expression C falls within the tolerance of the length of the set expression. The recognitions are totally processed by a microcomputer, which will be described later.

Next, Fig. 2 is a diagram showing another principle according to the present invention for measuring the length in time of a word or expression. Reference character A' denotes the length of a voice synthesized expression produced when a voice synthesized expression is expressed as an IC output such as an expression "ohayo (good morning)" of four Japanese Hiragana characters or syllables. In the figure, a lower line denotes a voice input, and reference character A is the length of a word or expression corresponding to the voice synthesized sound A', and if the lengths of A' and A are identical, then the sound by the speaker is recognized. Reference character B denotes a pause between the voice synthesized sound A' and the sound A produced by the speaker or since the voice synthesized sound is outputted until the voice

is inputted for recognition and with this pause a voice recognition with fewer errors can be provided. Namely, in the former case, the voice recognition is effected based on the length A of the sound only, whereas in the latter case, the voice recognition is effected based on the combination of the length B of the pause and the length A of the sound, and therefore the recognition capability can be increased with the latter case. Furthermore, it is possible to make the speaker imagine a word or expression following an initial voice synthesized sound when the latter is expressed. For example, when a question "What is the highest mountain in Japan?" is asked in voice synthesized sounds A', if the speaker answers "Mt. Fuji" as sounds produced by the speaker, then the answer is recognized. In this case, the speaker can operate the voice recognition device without consulting the owner's manual every time.

Fig. 3 is a diagram showing a further principle according to the present invention for measuring the length in time of a word or expression. Reference character A denotes the length in time of a word or expression expressed by the speaker and is the length of a word "Tama (the name of a cat)" of two Japanese Katakana characters or syllables. In the figure, a lower line is a voice input by the speaker. Reference

character A' denotes a voice synthesized sound produced when a word or expression produced through voice synthesis is expressed as an IC output, and when there is a voice input "Tama," a synthesized voice "mew" is expressed in reply to the voice input. In this case, the voice input by the speaker is compared with a measured value stored in the storage part, and when the result of the comparison falls within a predetermined tolerance, the word of the speaker is recognized, and the result of the recognition is outputted in voice.

Fig. 4 is a diagram showing the configuration of hardware for use in the present invention. In this embodiment, a microcomputer is used and only voice recognition is carried out. A voice signal having passed through a microphone 1 is amplified at an amplifier 2, thereafter an analog signal is converted into a digital signal at an integrating circuit 3, and the digital signal so converted is then inputted into a microcomputer 4. The microcomputer 4 comprises a storage part in which combinations of two or more continuous words or expressions, an operating part for recognizing a word or expression by the speaker when the length in time of the word or expression falls within a predetermined tolerance and a control part for outputting the result of the recognition. Thus, the digital signal inputted

into the microcomputer 4 is controlled at the control part, thereafter the control signal is received by the operating part, and an operating process is carried out at the operating part to see if the control signal and the first word or expression stored in the storage part can be recognized as the word or expression of the speaker, and when the control signal and the first word are determined to be recognized as the word or expression of the speaker as a result of the operating process, an LED or bulb is illuminated. The speaker can recognize that the first word has been recognized through the illumination of the LED or bulb and times the input of a second word before the LED or bulb is switched off. A similar operating process to that carried out for the first word is performed, and when the second word is determined to be recognized, then the control part output an electric signal for driving a motor 5, illuminating or blinking a bulb 6 or activating an electromagnet 7, whereby the arms, legs, eyes or mouth of a stuffed toy or doll can be activated, and at the same time a conversation with the toy can be realized.

Fig. 5 is a diagram showing the configuration of another hardware for use in the present invention. In this embodiment, an voice synthesis IC is used for voice recognition. Normally, an inexpensive 4-bit or 8-bit

microcomputer can be used for a voice recognition microcomputer. However, in this embodiment, in order to further reduce the production cost, a normal voice synthesis IC is programmed for use for this purpose. When a switch SW of a main body is closed, the voice synthesis IC 4 controls such that a voice synthesized sound is amplified at an amplifier 8 and that the voice synthesized sound so amplified is then outputted through a speaker 9. When the output of the voice synthesized sound is completed, the LED or bulb is illuminated. The user times the expression of a word or expression corresponding to the voice synthesized sound through the microphone 1 before the LED or bulb is switched off. The user speaks a word or expression corresponding to the voice synthesized sound through the microphone 1 when he or she hears the voice synthesized word or expression. In this case, the user may speak the word or expression corresponding to the voice synthesized sound instantaneously he or she hears the voice synthesized sound, or the user may answer the voice synthesized sound after a certain pause since the voice synthesized sound is outputted. These operations are totally processed through the program. The voice signal passing through the microphone 1 is amplified at an amplifier 2, and thereafter an analog signal is converted into a digital

signal at an integrating circuit 3, the digital signal so converted being then inputted into the voice synthesis IC. When the word or expression having a length corresponding to the voice synthesized sound is inputted into the voice synthesis IC, the result of the voice recognition by the program is outputted in another voice, whereby a motor 5 is driven, the bulb 6 is illuminated or blinked or the electromagnet 7 is activated. Thus, the arms, legs, eyes or mouth of a doll can be activated through a voiced order, and at the same a conversation with the toy can be realized.

According to the present invention, it is possible to repeat by using the voice synthesis IC a process in which an answer is given in response to a question from the computer, and this assumes a real conversation made between human beings, whereby the user can express his or her wishes in a sequential fashion. Finally, it is possible to make the microcomputer or voice synthesis IC to recognize many things to thereby make it follow orders from the user.

INDUSTRIAL APPLICABILITY

As has been described heretofore, according to the present invention, where the system of the invention is programmed in the microcomputer or voice synthesis IC,

a voice recognition device can be provided which is simple in configuration and inexpensive in cost, whereby a conversation with the computer can be realized. In addition, according to the present invention, the recognition accuracy can be increased by combining a plurality of words or expressions and limiting the length of each word or expression and the length in time of the pause between the words or expressions. Moreover, according to the present invention, in a case where the voice synthesis IC is used for voice recognition, it is possible to make the user to imagine the contents of a speech by the user or to make the voice recognition device speak the contents of a guidance, this obviating the necessity of an owner's manual on how to use the voice recognition device. Furthermore, according to the present invention, it is possible to make the microcomputer output in response to the result of a voice recognition for synchronization of actions other than a conversation. In addition, since the recognition is carried out based on the length of a sound, the voice of any person can be recognized irrespective of sex, age or the like of the speaker. Additionally, since only data on the lengths of sounds are programmed, the memory capacity of the system can be reduced extremely, whereby a low priced product can be provided. In particular, in

a case where a voice synthesis IC is used, an extremely low priced product can be provided. In addition, according to the present invention, no voice registration is required at all before use, and therefore the voice recognition device according to the present invention can be used just after it is switched on. According to the present invention, although voices of a number of unspecified people can be recognized, no voice data does not have to be collected. Furthermore, according to the present invention, the voice recognition device thereof is small in size and consumes very little power, and therefore a voice recognition device can be produced which is small in size and uses a small battery, a certain effectiveness in economy being thereby exhibited.

What is claimed is:

1. A voice recognition device for toys comprising storage means for measuring the length in time of a combination of two or more continuous words or expressions and the length in time of a pause or pauses between said words or expressions and then storing a measured value in advance, control means for measuring the length in time of a word or expression spoken by a speaker, comparing a measured value with said measured value stored in said storage means, and recognizing said word or expression of the speaker in the event that the result of said comparison falls within a predetermined tolerance and output means for outputting the result of said recognition so carried out.

2. A voice recognition device for toys comprising storage means for measuring the length in time of a word or expression spoken by a speaker for recognition and then storing a measured value in advance, a control means for measuring the length in time of a word or expression spoken by a speaker, comparing a measured value with said measured value stored in said storage means and recognizing said word or expression of the speaker in the event that the result of said comparison falls within a predetermined tolerance and an output means for outputting in voice the result of said recognition so

carried out.

3. A voice recognition device for toys comprising storage means for storing the length in time of a voice synthesized word or expression in advance, an output means for outputting said voice synthesized word or expression and control means for measuring the length in time of a word or expression spoken by a speaker, comparing a measured value with the length in time of said voice synthesized word or expression stored in said storage means, recognizing said word or expression of the speaker in the event that the result of said comparison falls within a predetermined tolerance and outputting means for outputting the result of said recognition.

4. A voice recognition device for toys as set forth in Claim 3, comprising a control means for measuring the length in time of a word or expression spoken by a speaker which corresponds to said outputted voice synthesized word or expression, comparing a measured value with the length in time of said voice synthesized word or expression which is stored in said storage means and recognizing said spoken word or expression of the speaker in the event that the result of said comparison falls within a predetermined tolerance, and an outputting means for outputting said recognized result.


5. A voice recognition device for toys as set forth in Claim 3 or Claim 4, wherein said storage means stores the length in time of a combination of the length in time of said voice synthesized words or expressions and the length in time of a pause between said words or expressions in advance, wherein said control means measures the length in time of said pause between said words or expressions and the length in time of words or expressions spoken by the speaker, compares measured values with the length in time of the combination of the length in time of the pause stored in the storage means and the length in time of the words or expressions spoken by the speaker for recognition and recognizes the words or expressions by the speaker provided that the result of the comparison falls within the predetermined tolerance.

ABSTRACT

The present invention provides a voice recognition device for toys comprising a storage means for measuring the length in time of a combination of two or more continuous words or expressions and the length in time of a pause or pauses between the words or expressions and then storing a measured value in advance, a control means for measuring the length in time of a word or expression spoken by a speaker, comparing a measured value with the measured value stored in the storage means, and recognizing the word or expression of the speaker in the event that the result of the comparison falls within a predetermined tolerance and an output means for outputting the result of the recognition so carried out.


1/5

FIG. 1




2/5

FIG. 2




3/5

FIG. 3




4/5

FIG. 4



5/5

FIG. 5



COMBINED DECLARATION AND POWER OF ATTORNEY FOR
ORIGINAL, DESIGN, NATIONAL STAGE OF PCT, SUPPLEMENTAL,
DIVISIONAL, CONTINUATION OR CONTINUATION-IN-PART APPLICATION

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name,

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled:

VOICE RECOGNITION DEVICE FOR TOYS

the specification of which

- a. ☒ is attached hereto
- b. ☐ was filed on _____ as application Serial No. _____ and was amended on _____ (if applicable).

PCT FILED APPLICATION ENTERING NATIONAL STAGE

- c. ☒ was described and claimed in International Application No. PCT/JP00/02642 filed on April 21, 2000 and as amended on _____. (if any).

I hereby state that I have reviewed and understand the contents of the above-identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in 37 C.F.R. § 1.56.

I hereby specify the following as the correspondence address to which all communications about this application are to be directed:

SEND CORRESPONDENCE TO: Edward A. Pennington
SWIDLER BERLIN SHEREFF FRIEDMAN, LLP
3000 K Street, N.W., Suite 300
Washington, D.C. 20007-5166

DIRECT TELEPHONE CALLS TO: Edward A. Pennington, 202-424-7500

- ☒ I hereby claim foreign priority benefits under Title 35, United States Code § 119 (a)-(d) or under § 365(b) of any foreign application(s) for patent or inventor's certificate or under § 365(a) of any PCT international application(s) designating at least one country other than the U.S. listed below and also have identified below such foreign application(s) for patent or inventor's certificate or such PCT international application(s) filed by me on the same subject matter having a filing date within twelve (12) months before that of the application on which priority is claimed:



Japan	11-114222	21,04,99	<input checked="" type="checkbox"/> Y <input type="checkbox"/> N
			<input type="checkbox"/> Y <input type="checkbox"/> N
			<input type="checkbox"/> Y <input type="checkbox"/> N

7

Date of filing (day, month, yr)

ADDITIONAL STATEMENTS FOR DIVISIONAL, CONTINUATION OR CONTINUATION-IN-PART
OR PCT INTERNATIONAL APPLICATION(S) DESIGNATING THE U.S.)

I hereby claim the benefit under Title 35, United States Code § 120 of any United States application(s) or under § 365(c) of any PCT international application(s) designating the U.S. listed below.

<u>PCT/JP00/02642</u>	<u>April 21, 2000</u>	<u>Pending</u>
US/PCT Application Serial No.	Filing Date,	Status (patented, pending, abandoned)/ U.S. application no. assigned (For PCT)


US/PCT Application Serial No.	Filing Date,	Status (patented, pending, abandoned)/ U.S. application no. assigned (For PCT)
-------------------------------	--------------	---

☐ In this continuation-in-part application, insofar as the subject matter of any of the claims of this application is not disclosed in the above listed prior United States or PCT international application(s) in the manner provided by the first paragraph of Title 35, United States Code, § 112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, § 1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or Imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

I hereby appoint the following attorneys and/or agents with full power of substitution and revocation, to prosecute this application, to receive the patent, and to transact all business in the Patent and Trademark Office connected therewith: Edward A. Pennington (Reg. No. 32,588), John P. Moran (Reg. No. 30,906), Eric J. Franklin (Reg. No. 37,134), Michael A. Schwartz (Reg. No. 40,161), Robert C. Bertin (Reg. No. 41,488), Alicia A. Meros (Reg. No. 44,937), Chadwick A. Jackson (Reg. No. 46,495), Edward J. Naidich (Reg. No. 43,826), and Sean O'Hanlon (Reg. No. 47,252) of Swidler Berlin Shereff Friedman having an address of 3000 K Street, N.W., Suite 300, Washington, D.C. 20007-5116.

1-00
Full name of sole or first inventor Takashi Ichikawa

Inventor's signature 

Date: Dec/05/2000

Residence: c/o TOYTEC CORPORATION, 25-11, Katayanagi-machi 2-chome, Tochigi-shi, Tochigi, Japan

Citizenship: Japan

Post Office Address: Same as Residence

JPX

Full name of second inventor

Inventor's signature _____

Date: _____

Residence: _____

Citizenship: _____

Post Office Address: _____



ATTACHED IS ADDED PAGE TO COMBINED DECLARATION AND POWER OF ATTORNEY FOR SIGNATURE BY THIRD AND SUBSEQUENT INVENTORS FORM.